



ISO 9001:2015



CERTIFICATO N. [www.imq.it](http://www.imq.it)  
CERTIFICATE N. 0659.2021

# EURO2000 S.P.A.

Via dell'Artigianato, 27  
20083 Vigano di Gaggiano, MILANO  
Tel.: 02.90843076 - 02.9081808  
Fax: 02.73966018  
Web: [www.euro2000-spa.it](http://www.euro2000-spa.it)  
E-mail: [info@euro2000-spa.it](mailto:info@euro2000-spa.it)  
Pec: [euroduemila@legalmail.it](mailto:euroduemila@legalmail.it)

Tubing, Mechanical Protection and Fittings

E178449

Guide Information

## FRAENKISCHE INDUSTRIAL PIPES GmbH & Co. KG

Hellinger Strasse 1, Koenigsberg 97486 DE

### FPAC\*

MPT Tubing "FIPLOCK Series"

<u>Max Working Temp, °C</u>	<u>Indoor Use</u>	<u>Outdoor Use</u>	<u>FT-4</u>
105	Yes	Yes	-

\* - Optional suffix to denote profile, size, color and delivery length

Report Date: 2018-05-25

Last Revised: 2018-05-25

© 2023 UL Solutions



Tubing, Mechanical Protection and Fittings

E178449

Guide Information

## FRAENKISCHE INDUSTRIAL PIPES GmbH & Co. KG

Hellinger Strasse 1, Koenigsberg 97486 DE

### FPAN\*

MPT Tubing "FIPLOCK Series"

<u>Max Working Temp, °C</u>	<u>Indoor Use</u>	<u>Outdoor Use</u>	<u>FT-4</u>
105	Yes	Yes	-

\* - Optional suffix to denote profile, size, color and delivery length

Report Date: 2018-05-25

Last Revised: 2018-05-25

© 2023 UL Solutions



Tubing, Mechanical Protection and Fittings

E178449

Guide Information

## FRAENKISCHE INDUSTRIAL PIPES GmbH & Co. KG

Hellinger Strasse 1, Koenigsberg 97486 DE

### FPAS\*

MPT Tubing "FIPLOCK Series"

<u>Max Working Temp, °C</u>	<u>Indoor Use</u>	<u>Outdoor Use</u>	<u>FT-4</u>
105	Yes	Yes	-

\* - Optional suffix to denote profile, size, color and delivery length

Report Date: 2018-05-25

Last Revised: 2018-05-25

© 2023 UL Solutions



**EURO2000 S.P.A.** Via dell'Artigianato n. 27-20083 Vigano di Gaggiano- MI  
Tel.:02.90843076 - 02.9081808 Fax: 02.73966018 E-mail: [info@euro2000-spa.it](mailto:info@euro2000-spa.it)  
P. IVA 12656520157 - CF 12656520157



ISO 9001:2015



CERTIFICATO N. www.imq.it  
CERTIFICATE N. 0659.2021

Tubing, Mechanical Protection and Fittings

E178449

Guide Information

**FRAENKISCHE INDUSTRIAL PIPES GmbH & Co. KG**

Hellinger Strasse 1, Koenigsberg 97486 DE

**FPDS\***

MPT Tubing "FIPLOCK Series"

Max Working Temp, °C	Indoor Use	Outdoor Use	FT-4
105	Yes	Yes	-

\* - Optional suffix to denote profile, size, color and delivery length

Report Date: 2018-05-25

Last Revised: 2018-05-25

© 2023 UL Solutions



Tubing, Mechanical Protection and Fittings

E178449

Guide Information

**FRAENKISCHE INDUSTRIAL PIPES GmbH & Co. KG**

Hellinger Strasse 1, Koenigsberg 97486 DE

**HPAC\***

MPT Tubing "FIPLOCK Series"

Max Working Temp, °C	Indoor Use	Outdoor Use	FT-4
105	Yes	Yes	-

\* - Optional suffix to denote profile, size, color and delivery length

Report Date: 2018-05-25

Last Revised: 2018-05-25

© 2023 UL Solutions



Tubing, Mechanical Protection and Fittings

E178449

Guide Information

**FRAENKISCHE INDUSTRIAL PIPES GmbH & Co. KG**

Hellinger Strasse 1, Koenigsberg 97486 DE

**HPDF\***

MPT Tubing "FIPLOCK Series"

Max Working Temp, °C	Indoor Use	Outdoor Use	FT-4
105	Yes	Yes	-

\* - Optional suffix to denote profile, size, color and delivery length

Report Date: 2018-05-25

Last Revised: 2018-05-25

© 2023 UL Solutions



**EURO2000 S.P.A.** Via dell'Artigianato n. 27-20083 Vigano di Gaggiano- MI  
Tel.:02.90843076 - 02.9081808 Fax: 02.73966018 E-mail: info@euro2000-spa.it  
P. IVA 12656520157 - CF 12656520157



ISO 9001:2015



CERTIFICATO N. www.imq.it  
CERTIFICATE N. 0659.2021

Tubing, Mechanical Protection and Fittings

E178449

Guide Information

**FRAENKISCHE INDUSTRIAL PIPES GmbH & Co. KG**

Hellinger Strasse 1, Koenigsberg 97486 DE

**HPDS\***

MPT Tubing "FIPLOCK Series"

Max Working Temp, °C  
105

Indoor Use  
Yes

Outdoor Use  
Yes

FT-4  
-

\* - Optional suffix to denote profile, size, color and delivery length

Report Date: 2018-05-25

Last Revised: 2018-05-25

© 2023 UL Solutions



Tubing, Mechanical Protection and Fittings

E178449

Guide Information

**FRAENKISCHE INDUSTRIAL PIPES GmbH & Co. KG**

Hellinger Strasse 1, Koenigsberg 97486 DE

**AAPA-x**

Fittings "FIPLOCK ONE Series"

Indoor Dry Locations  
Yes

Liquid-tight Locations  
Yes

x - Optional suffix to denote the applicable Tubing size (NW), Thread, Thread size, Thread material (P = Plastic, M = Metal) and , color (B=black, G= Grey)

Report Date: 2018-05-25

Last Revised: 2018-08-15

© 2023 UL Solutions



Tubing, Mechanical Protection and Fittings

E178449

Guide Information

**FRAENKISCHE INDUSTRIAL PIPES GmbH & Co. KG**

Hellinger Strasse 1, Koenigsberg 97486 DE

**ACPA-x**

Fittings "FIPLOCK ONE Series"

Indoor Dry Locations  
Yes

Liquid-tight Locations  
Yes

x - Optional suffix to denote the applicable Tubing size (NW), Thread, Thread size, Thread material (P = Plastic, M = Metal) and , color (B=black, G= Grey)

Report Date: 2018-05-25

Last Revised: 2018-08-15

© 2023 UL Solutions



**EURO2000 S.P.A.** Via dell'Artigianato n. 27-20083 Vigano di Gaggiano- MI  
Tel.:02.90843076 - 02.9081808 Fax: 02.73966018 E-mail: info@euro2000-spa.it  
P. IVA 12656520157 - CF 12656520157



ISO 9001:2015



CERTIFICATO N. [www.imq.it](http://www.imq.it)  
CERTIFICATE N. 0659.2021

Tubing, Mechanical Protection and Fittings

E178449

Guide Information

**FRAENKISCHE INDUSTRIAL PIPES GmbH & Co. KG**

Hellinger Strasse 1, Koenigsberg 97486 DE

**AFPA-x**

Fittings "FIPLOCK ONE Series"

Indoor Dry Locations

Yes

Liquid-tight Locations

Yes

x - Optional suffix to denote the applicable Tubing size (NW), Thread, Thread size, Thread material (P = Plastic, M = Metal) and , color (B=black, G= Grey)

Report Date: 2018-05-25

Last Revised: 2018-08-15

© 2023 UL Solutions



Tubing, Mechanical Protection and Fittings

E178449

Guide Information

**FRAENKISCHE INDUSTRIAL PIPES GmbH & Co. KG**

Hellinger Strasse 1, Koenigsberg 97486 DE

**AIPA-x**

Fittings "FIPLOCK ONE Series"

Indoor Dry Locations

Yes

Liquid-tight Locations

-

x - Optional suffix to denote the applicable Tubing size (NW), Thread, Thread size, Thread material (P = Plastic, M = Metal) and , color (B=black, G= Grey)

Report Date: 2018-05-25

Last Revised: 2018-08-16

© 2023 UL Solutions



Tubing, Mechanical Protection and Fittings

E178449

Guide Information

**FRAENKISCHE INDUSTRIAL PIPES GmbH & Co. KG**

Hellinger Strasse 1, Koenigsberg 97486 DE

**APPA-x**

Fittings "FIPLOCK ONE Series"

Indoor Dry Locations

Yes

Liquid-tight Locations

-

x - Optional suffix to denote the applicable Tubing size (NW), Thread, Thread size, Thread material (P = Plastic, M = Metal) and , color (B=black, G= Grey)

Report Date: 2018-05-25

Last Revised: 2018-08-15

© 2023 UL Solutions



**EURO2000 S.P.A.** Via dell'Artigianato n. 27-20083 Vigano di Gaggiano- MI  
Tel.:02.90843076 - 02.9081808 Fax: 02.73966018 E-mail: info@euro2000-spa.it  
P. IVA 12656520157 - CF 12656520157



ISO 9001:2015



CERTIFICATO N. www.imq.it  
CERTIFICATE N. 0659.2021

Tubing, Mechanical Protection and Fittings

E178449

Guide Information

**FRAENKISCHE INDUSTRIAL PIPES GmbH & Co. KG**

Hellinger Strasse 1, Koenigsberg 97486 DE

**ARPA-x**

Fittings "FIPLOCK ONE Series"

Indoor Dry Locations

Yes

Liquid-tight Locations

Yes

x - Optional suffix to denote the applicable Tubing size (NW), Thread, Thread size, Thread material (P = Plastic, M = Metal) and , color (B=black, G= Grey)

Report Date: 2018-05-25

Last Revised: 2018-08-15

© 2023 UL Solutions



Tubing, Mechanical Protection and Fittings

E178449

Guide Information

**FRAENKISCHE INDUSTRIAL PIPES GmbH & Co. KG**

Hellinger Strasse 1, Koenigsberg 97486 DE

**ASPA-x**

Fittings "FIPLOCK ONE Series"

Indoor Dry Locations

Yes

Liquid-tight Locations

Yes

x - Optional suffix to denote the applicable Tubing size (NW), Thread, Thread size, Thread material (P = Plastic, M = Metal) and , color (B=black, G= Grey)

Report Date: 2018-05-25

Last Revised: 2018-05-25

© 2023 UL Solutions



Tubing, Mechanical Protection and Fittings

E178449

Guide Information

**FRAENKISCHE INDUSTRIAL PIPES GmbH & Co. KG**

Hellinger Strasse 1, Koenigsberg 97486 DE

**ATPA-y**

Fittings "FIPLOCK ONE Series"

Indoor Dry Locations

Yes

Liquid-tight Locations

Yes

y - Optional suffix to denote Nominal Widths and Color (B = black)

Report Date: 2018-05-25

Last Revised: 2018-05-25

© 2023 UL Solutions



**EURO2000 S.P.A.** Via dell'Artigianato n. 27-20083 Vigano di Gaggiano- MI  
Tel.:02.90843076 - 02.9081808 Fax: 02.73966018 E-mail: info@euro2000-spa.it  
P. IVA 12656520157 - CF 12656520157



ISO 9001:2015



CERTIFICATO N. [www.imq.it](http://www.imq.it)  
CERTIFICATE N. 0659.2021

Tubing, Mechanical Protection and Fittings

E178449

Guide Information

**FRAENKISCHE INDUSTRIAL PIPES GmbH & Co. KG**

Hellinger Strasse 1, Koenigsberg 97486 DE

**ATPA-y-CA**

Fittings "FIPLOCK ONE Series"

Indoor Dry Locations

Yes

Liquid-tight Locations

Yes

y - Optional suffix to denote Nominal Widths and Color (B = black)

Report Date: 2018-05-25

Last Revised: 2018-05-25

© 2023 UL Solutions



Tubing, Mechanical Protection and Fittings

E178449

Guide Information

**FRAENKISCHE INDUSTRIAL PIPES GmbH & Co. KG**

Hellinger Strasse 1, Koenigsberg 97486 DE

**AWPA-x / AEPA-x**

Fittings "FIPLOCK ONE Series"

Indoor Dry Locations

Yes

Liquid-tight Locations

Yes

x - Optional suffix to denote the applicable Tubing size (NW), Thread, Thread size, Thread material (P = Plastic, M = Metal) and , color (B=black, G= Grey)

Report Date: 2018-05-25

Last Revised: 2018-05-25

© 2023 UL Solutions



Tubing, Mechanical Protection and Fittings

E178449

Guide Information

**FRAENKISCHE INDUSTRIAL PIPES GmbH & Co. KG**

Hellinger Strasse 1, Koenigsberg 97486 DE

**AYPA-y**

Fittings "FIPLOCK ONE Series"

Indoor Dry Locations

Yes

Liquid-tight Locations

Yes

y - Optional suffix to denote Nominal Widths and Color (B = black)

Report Date: 2018-05-25

Last Revised: 2018-05-25

© 2023 UL Solutions



*Euro2000 SPA produce questa certificazione sulla base del rapporto di prova originale o della nostra certificazione o della certificazione del nostro fornitore. Se hai bisogno di maggiori informazioni sulla certificazione, scrivi una mail a [info@euro2000-spa.it](mailto:info@euro2000-spa.it)*

*Euro2000 SPA produces this certification based on original test report or our certification or certification of our supplier. If you need more information about certification, please write an email to a [info@euro2000-spa.it](mailto:info@euro2000-spa.it)*



**EURO2000 S.P.A.** Via dell'Artigianato n. 27-20083 Vigano di Gaggiano- MI  
Tel.:02.90843076 - 02.9081808 Fax: 02.73966018 E-mail: [info@euro2000-spa.it](mailto:info@euro2000-spa.it)  
P. IVA 12656520157 - CF 12656520157